

Wellesley™

Fiber-Classic® Mahogany



- | | | | | | | | | |
|--|--|--|---|--|--|--|---|---|
| FCM104
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM874
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FCM6094
6
2'6" x 6'8" † ‡
2'8" x 6'8" † ‡
2'10" x 6'8" † ‡
3'0" x 6'8" † ‡ | FCM821
6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FCM147
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM105
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM866
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FCM6030
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM6050
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" |
|--|--|--|---|--|--|--|---|---|



- | | | | | | | | |
|---|---|---|---|--|--|--|--|
| FCM106
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM163
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM125
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM721
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FCM8721
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FCM818SL
6
10" x 6'8"
12" x 6'8" † ‡
14" x 6'8" † ‡ | FCM81921SL
6
12" x 8'0"
14" x 8'0" | FCM874SL
6
12" x 8'0"
14" x 8'0" |
|---|---|---|---|--|--|--|--|

Fiber-Classic® Oak



- | | | | | | | | | | | |
|--|--|--|--|--|--|---|--|---|---|--|
| FCM147SL
6
12" x 6'8"
14" x 6'8" | FCM885SL
6
12" x 8'0"
14" x 8'0" | FCM105SL
6
12" x 6'8"
14" x 6'8" | FCM866SL
6
12" x 8'0"
14" x 8'0" | FC104
6
2'6" x 6'8"
2'8" x 6'8" † ‡
2'10" x 6'8" † ‡
3'0" x 6'8" † ‡ | 81921P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FC6094
6
2'6" x 6'8" † ‡
2'8" x 6'8" † ‡
2'10" x 6'8" † ‡
3'0" x 6'8" † ‡ | FC821
6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | FC147
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | FC779
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 81959P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" |
|--|--|--|--|--|--|---|--|---|---|--|



FC105 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	81941P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81984P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC127 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC713 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC163 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC796 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC125 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	--	--	--	--	--	--



FC80949 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86249 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC721 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FC8721 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC104SL 6 10" x 6'8" 12" x 6'8" 14" x 6'8"	81921PSL 6 12" x 8'0" 14" x 8'0"	FC818SL 6 12" x 6'8" ‡ ‡ 14" x 6'8" ‡ ‡	81921SL 6 12" x 8'0" 14" x 8'0"	FC147SL 6 12" x 6'8" 14" x 6'8"	81959PSL 6 12" x 8'0" 14" x 8'0"	FC105SL 6 12" x 6'8" 14" x 6'8"	81941PSL 6 12" x 8'0" 14" x 8'0"
---	---	--	---	---	--	---	---	---	--	---	--

Smooth-Star®



S155 6 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ ‡ 2'10" x 6'8" ‡ ‡ 3'0" x 6'8" ‡ ‡	S85896 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6094 6 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ ‡ 2'10" x 6'8" ‡ ‡ 3'0" x 6'8" ‡ ‡ 3'6" x 6'8"	S821 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S6091 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S983 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S892 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S214 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S81941P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6030 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S6050 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	---	---	--	---	--	--	---	---	--	---

Wellesley Glass Continues on next page.

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- ⬆ 6'6" Height Available
- ‡ 7'0" Height Available



S42 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S85909 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S292 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S774 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6082 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S999 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6117 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S9349 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S83149 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--	---	---	--	---	--	---	--



S721 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S8721 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S155SL 6 12" x 6'8" 14" x 6'8"	S85896SL 6 12" x 8'0" 14" x 8'0"	S5870SL 6 10" x 6'8" 12" x 6'8" †‡ 14" x 6'8" †‡	S85934SL 6 12" x 8'0" 14" x 8'0"	S6091SL 6 12" x 6'8" 14" x 6'8"	S892SL 6 12" x 8'0" 14" x 8'0"	S292SL 6 12" x 6'8" 14" x 6'8"	S85922SL 6 12" x 8'0" 14" x 8'0"
---	--	--	--	---	--	---	--	--	--



WLHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19720T
3'0" Door Only



19730T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Riserva™ x


Note: Product images show exterior side of door.

Fiber-Classic® Mahogany



FCM574 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8574 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM571 6 2'6" x 6'8" †‡ 2'8" x 6'8" †‡ 2'10" x 6'8" †‡ 3'0" x 6'8" †‡	FCM8571 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM543 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM581 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8581 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM575 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM577 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	---	---	--	--	--	---	--	--

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
Note: See page 275 for important product details that may help with your purchase decision.



Fiber-Classic® Oak



Riserva Glass *Continues on next page.*

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- └ Flat Lite Frame
- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")

- 6 WBDR Options
- 6 WBDR / HVHZ Options
- ⚠ 6'6" Height Available
- ‡ 7'0" Height Available

Optional Dentil Shelf*




4-Block Dentil Shelf
Available for all Craftsman-style
Fiber-Classic Mahogany Collection doors.


Smooth-Star®



FC545SL 6 12" x 6'8" 14" x 6'8"	FC8545SL 6 12" x 8'0" 14" x 8'0"	FC583SL 6 12" x 6'8" 14" x 6'8"	FC8583SL 6 12" x 8'0" 14" x 8'0"
---	--	---	--



S574 6 2'6" x 6'8" Δ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡	S8574 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S571 6 2'6" x 6'8" Δ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡ 3'6" x 6'8"	S8571 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S543 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	--	--	---	--



S529 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8529 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S581 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S8581 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S575 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	S577 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S579 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8579 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S585 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	---	---	---	---	--	--	---	---



S2670* 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82670* 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S508 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8508 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S506 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S507 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S549 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S573SL 6 12" x 6'8" 14" x 6'8"	S8573SL 6 12" x 8'0" 14" x 8'0"
--	---	--	---	---	--	--	--	---

*Available with flat lite frame or Impact-rated lite frame only.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 275 for important product details that may help with your purchase decision.

Right Page: Fiber-Classic Oak Collection, Riserva Glass, Door – FC8529, Sidelites – FC8572SL



RSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

S572SL
■ ● ⬆
 10" x 6'8"
 12" x 6'8" ⬆ ⬆
 14" x 6'8" ⬆ ⬆

S8572SL
■ ● ⬆
 12" x 8'0"
 14" x 8'0"

S545SL
⬆
 12" x 6'8"
 14" x 6'8"

S8545SL
⬆
 12" x 8'0"
 14" x 8'0"

S583SL
⬆
 12" x 6'8"
 14" x 6'8"

S8583SL
⬆
 12" x 8'0"
 14" x 8'0"

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



Key

- No Stile Lines
- ✗ Wrought Iron (1W)
- ⬆ Flat Lite Frame

- Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
- ⬆ WBDR Options

- ⬆ WBDR / HVHZ Options
- ⬆ 6'6" Height Available
- ⬆ 7'0" Height Available

Optional Dentil Shelf**

